



THE BEST MANUFACTURER



Aqua-Win[®]
Pure Water System



Water
Quality

The honor of the membership in Water Quality Association

The Best Manufacturer

AQUA-WIN WATER CORPORATION was founded by a professional water purification system team in 1992. Our products have an excellent sales performance in Taiwan. At the same time, we are the first and the best manufacturer for reverse osmosis drinking water systems in Taiwan Market. We deeply believe that we operate this company with honest and honor attitude.

AQUA-WIN has insisted that we keep excellent quality of products, competitive prices, and innovative and outstanding purification products since we founded this company. Our unique design makes installation easier and operation more stable. In addition, we provide customers with a variety of colors and sizes of water purifier parts to choose. The ultimate goal of this company is to provide customers with the best quality but reasonable-price products.

AQUA-WIN gain high values from domestic and international customers after we have operated the company sincerely for a long time. Because we pay attention to provide customers with stable and high-quality products, we maintain a leading position in this field. Besides, we hope to provide our customers with a complete service from value-added services, production, sales and after-sales service. We can meet the needs from an individual customer to big companies by means of a wide range of services.

AQUA-WIN WATER CORPORATION hopes to invite all domestic and international customers to contact us and establish a good business relationship with us. If you hope to survive in today's highly competitive water market, you must have a professional and reliable supplier like us to provide you with high-quality products, competitive prices, and professional management.






目錄

▶ 大型過濾系統	Water Treatment Systems	01
▶ R.O.機組	R.O. System Units	02~06
▶ 過濾器	Filtration Systems	07~08
▶ 飲水機	Water Dispensers	09~12
▶ 臭氧機	Ozonizer & 電解機 Water Ionizers	13
▶ 壓力桶	Pressure Storage Tank & 不銹鋼桶 S.S Tank	14
▶ 濾殼	Filter Housings	15~17
▶ 沐浴過濾器	Shower Filters	18
▶ R.O.零件	R.O. Accessories	19~22
▶ 濾材	Cartridge Filters	23~27
▶ 出水口	Faucets	28
▶ 鐵架、鐵片	Brackets	29
▶ 傳統接頭	Jaco Fittings	30
▶ 快接接頭	EZ Fittings	31~32
▶ 紫外線殺菌燈	UVC Lightings	33~34
▶ UV燈管&石英管	UV Lamp & Quartz Tube Sleeve	35

Aqua-Win[®]
Pure Water System



HY-5099

R.O. System

Aqua-Win®
Pure Water System

All-In-One Compact R.O. System

A compact system enables to efficiently produce high quality pure water with combination of reverse osmosis (R.O.) technology, quick-change filters and storage tank (2.0G). Features of easy installation, maintenance in compact systems fit your purified water needs for Home-Use. Elegantly designed for convenient portability! Everything you need is inside of this case.



The interior left view



The interior right view



Filter replacement
without shutting
off water switch



Option 1 HY-5099T (Top Counter)

Option 2 HY-5099T 400G Direct Flow



1st Stage: Twist-In Disposable PP Filter

The 5 micron sediment filter is made of 100% pure polypropylene fibers. High capacity filter removes dusts, particles and rusts.



2nd Stage: Twist-In Disposable Block Carbon Filter

This filter is composed of high-performance carbon that removes free chlorine, odor, and organic contaminants.



3rd Stage: Twist-In Disposable Block Carbon Filter

Remove again the chlorine, organic contaminants, pesticides and odor in water.



4th Stage: Aqua-Win 50G RO Membrane

This membrane removes the following hard water contaminants: lead, copper, barium, chromium..... and so on.



5th Stage: In-Line CL-10 Post Carbon Filter

The filter is designed to improve taste. It removes any residual impurities and odors from the tank and provides a finer conditioning of pure water.



Option 3 HY-5099U (Under Counter)

Option 4 HY-5099U 400G Direct Flow

HY-6099

R.O. System

Aqua-Win®
Pure Water System



The design of the HY-6099 system was created to fit perfectly in any kitchen environment. Its light weight and small size allows users easily to carry anywhere they want.



The view from back



Filter replacement without shutting off water switch

1st Stage: Twist-In Disposable PP Filter

The 5 micron sediment filter is made of 100% pure polypropylene fibers. High capacity filter removes dusts, particles and rusts.

2nd Stage: Twist-In Disposable Block Carbon Filter

This filter is composed of high-performance carbon that removes free chlorine, odor, and organic contaminants.

3rd Stage: Twist-In Disposable Block Carbon Filter

Remove again the chlorine, organic contaminants, pesticides and odor in water.

4th Stage: Aqua-Win 50G RO Membrane

This membrane removes the following hard water contaminants: lead, copper, barium, chromium..... and so on.

5th Stage: In-Line CL-10 Post Carbon Filter

The filter is designed to improve taste. It removes any residual impurities and odors from the tank and provides a finer conditioning of pure water.

HY-8099

R.O. System

Aqua-Win®

Pure Water System



Filter replacement
without shutting
off water switch



Quick and Easy for
Installation



Three LED Displaying of
"FULL", "PUMP", "POWER"

This is a modern kitchen appliance that has been well designed with efficiency, high performance and convenience in mind.

It uses twist-in filters which allow users to easily insert and remove.

Its unique design makes installation easier and operation more reliable.



Can be raised up to height
of 90° for replacement



Disposable filter makes
replacement easier

1st Stage: Twist-In Disposable PP Filter

The 5 micron sediment filter is made of 100% pure polypropylene fibers. High capacity filter removes dusts, particles and rusts.

2nd Stage: Twist-In Disposable Block Carbon Filter

This filter is composed of high-performance carbon that removes free chlorine, odor, and organic contaminants.

3rd Stage: Twist-In Disposable Block Carbon Filter

Remove again the chlorine, organic contaminants, pesticides and odor in water.

4th Stage: Aqua-Win 50G RO Membrane

This membrane removes the following hard water contaminants: lead, copper, barium, chromium.... and so on.

5th Stage: In-Line CL-10 Post Carbon Filter

The filter is designed to improve taste. It removes any residual impurities and odors from the tank and provides a finer conditioning of pure water.

Bacteria Free

Aqua-Win®
Pure Water System




New Technology to anti-bacteria with pure water

Through passing Hi-Technology for nanometer, it makes nano silver which has heavy activity, strengthen antibacterial functions.

After processing the superficial for silver particle increases sharply through nanotechnology.

The surface structure changes, and sterilization ability can lift to more 200 times.



NANOMETER SILVER FILTER

NANO-SILVER

Nano Ag⁺ also has the same function with the hydrogen base of sulphur sense of the protein the microbial body surface, and by oxidizing to destroy its structure to reach the excellent antibacterial efficiency.

■ NS-CL10



IN-LINE NANO-SILVER CARBON FILTER

■ NS-CL10/C



IN-LINE NANO-SILVER CARBON FILTER (CLEAR)

■ NS-RO



NANO-SILVER RO MEMBRANE


■ NS-CTO

NANO-SILVER CARBON

Features: Low pressure drop, high dirt holding capacity, multiple absorbing holes, steady flow to achieve reliable performance & long life usage.

Functions: To eliminate Chloroform, VOC, harmful chemicals, bad smell, and parts of metals and pesticides.

Application: Residential, commercial & industrial range.



NANO-SILVER CTO (10"/20")

■ Made in Taiwan

大型過濾系統 Water Treatment Systems



800GPD/DAY



1500GPD/DAY



3000GPD/DAY

Industrial RO System

MODEL NO.	R.O.Output	R.O. Membrane
A-119	800GPD	4021X1
A-120	1500GPD	4040X1
A-120-1	3000GPD	4040X2
A-120-2	6000GPD	4040X4
A-120-3	9000GPD	4040X6

FRP VESSEL TANK

MODEL NO	TANK SIZE (D*H)	OPENING
C-290-1	6X18 (6L)	2.5"
C-290-2	6X35 (10L)	2.5"
C-290-10	7X35 (15L)	2.5"
C-290-3	8X35 (20L)	2.5"
C-290-12	9X35 (25L)	2.5"
C-290	10X35 (30L)	2.5"
C-290-5	10X47 (40L)	2.5"
C-290-6	10X54 (50L)	2.5"
C-290-7	12X52 (60L)	2.5"
C-290-8	13X54 (70L)	2.5"
C-290-9	14X47 (80L)	2.5"
C-290-11	14X65 (100L)	2.5"
C-190-13	16X65 (120L)	4"
C-190-16	18X65 (150L)	4"
C-190-14	21X62 (200L)	4"
C-190-15	24X72 (300L)	4"
C-190-18	30X72 (500L)	4"

FRP VESSEL TANK



Control Valve Type



Model No.: C-298-1
F20 RESIN CONTROL
HEAD(STARS-110V)
&(STCRS-220V)1"



Model No.: C-299-1
F20 CONTROL
VALVE(FTARS-110V)
&(FTCRS-220V)
(TIMER)1"

BRINE TANK

MODEL NO.	DESCRIPTION	REMARK	TANK SIZE
C-293-2	BRINE TANK#1535	WITH SALT BASE	FRP TANK ↓ 100L
C-293-3	BRINETANK#1840	WITH SALT BASE	FRP TANK ↑ 120L



B-603
MANGANESE
GREENSAND



B-604
QUARTZ SAND



B-602-1
RESINEX ION
EXCHANGE RESIN



B-509
MAIFAN MINERAL
STONE



B-601
ACID WASHING
ACTIVATED
CARBON
B-601-1
COCONUT SHELL
ACTIVATED
CARBON

R.O.機組 R.O. System Units



HY-4020

4-STAGE R.O. SYSTEM (NO PUMP)

R.O. Output: 50 G.P.D.

- Model # : A-157 (10"Housing)
- Model # : A-157-1 (5"Housing)



HY-4030

5-STAGE R.O. SYSTEM (NO PUMP)

R.O. Output: 50 G.P.D.

- Model # : A-156 (Jaco Fittings)
- Model # : A-156-2 (EZ Fittings)



HY-5099U

5-STAGE COMPACT R.O. SYSTEM
(Under-Counter)

R.O. Output: 50 G.P.D.

- Model # : A-225-13 (PUMP)
- Model # : A-225-15 (NO PUMP)
- Model # : A-225-28 (400G DIRECT FLOW)



HY-6099

5-STAGE IN-LINE DISPOSABLE TYPE
RO SYSTEM (Stand Bracket)

R.O. Output: 50 G.P.D.

- Model # : A-102-9
(NO WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-6
(WATER PRESSURE GAUGE) (PUMP)
- Model # : A-102-8 (WATER PRESSURE GAUGE)
(PUMP) (AUTO FLUSH)



HY-5099T

5-STAGE COMPACT R.O. SYSTEM
(Top-Counter)

R.O. Output: 50 G.P.D.

- Model # : A-225-14 (PUMP)
- Model # : A-225-16 (NO PUMP)
- Model # : A-225-31 (400G DIRECT FLOW)



- Model # : A-102-7
(NO WATER PRESSURE GAUGE) (NO PUMP)

R.O.機組 R.O. System Units



HY-8090 NP

5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM

R.O. Output: 50 G.P.D.

- Model # : A-225-23 (NO PUMP)

HY-8099

5-STAGE IN-LINE DISPOSABLE TYPE RO SYSTEM

R.O. Output: 50 G.P.D.

- Model # : A-225-17 (PUMP)



HY-8030

MODERN TYPE 5-STAGE RO SYSTEM

R.O. Output: 50 G.P.D.

- Model # : A-226-2 (NO PUMP)

HY-8035

MODERN TYPE 5-STAGE RO SYSTEM

R.O. Output: 50 G.P.D.

- Model # : A-225-4 (PUMP)(Insert Type)
- Model # : A-225-2 (PUMP)(Screw Type)



HY-7034

CASING STYLE 5-STAGE RO SYSTEM

R.O. Output: 50 G.P.D.

- Model # : A-107-12 (NO PUMP)
- Model # : A-107-5 (PUMP)



HY-6034-B

MODERN STAND 5-STAGE RO SYSTEM

R.O. Output: 50 G.P.D.

- Model # : A-105-8 (NO PUMP)

HY-6034-A

MODERN STAND 5-STAGE RO SYSTEM

R.O. Output: 50 G.P.D.

- Model # : A-105-7 (PUMP)



HY-3034 (Double O-ring)

5-STAGE RO SYSTEM (WITH PUMP)
(WITH SOLENOID VALVE)
R.O. Output: 50 G.P.D.

- Model # : A-101-7



5-STAGE RO SYSTEM WITH PUMP
R.O. Output: 50 G.P.D.

HY-3032

- Model # : A-101-4 (4-Way Valve)
- Model # : A-101-6 (4-Way Valve) (EZ Fittings)

HY-3034

- Model # : A-102 (Solenoid Valve)



HY-5034

5-STAGE RO SYSTEM (WITH PUMP)
(MANUAL FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.

- Model # : A-105



HY-3036

5-STAGE RO SYSTEM (WITH PUMP)
(AUTO FLUSH)
R.O. Output: 50 G.P.D.

- Model # : A-106-1



HY-6030

IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.

- Model # : A-105-4 (NO PUMP)

HY-6034

IN-LINE 5-STAGE RO SYSTEM
R.O. Output: 50 G.P.D.

- Model # : A-105-3 (PUMP)

R.O.機組 R.O. System Units



HY-5036

5-STAGE RO SYSTEM WITH PUMP
(AUTO FLUSH)(PUMP SIDE-HANG)
R.O. Output: 50 G.P.D.

- Model # : A-106



HY-5037

STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (STAND BRACKET)
R.O. Output: 50 G.P.D.

- Model # : A-113-1 (No IC Box)
- Model # : A-106-3 (Auto Flush)
- Model # : A-107 (Auto Flush and TDS)



HY-6035

STAND TYPE 5-STAGE IN-LINE RO
SYSTEM (STAND BRACKET)
R.O. Output: 50 G.P.D.

- Model # : A-105-10 (No IC Box)
- Model # : A-105-11 (Auto Flush)
- Model # : A-105-5 (Auto Flush and TDS)



HY-3035

STAND TYPE 5-STAGE RO SYSTEM
WITH PUMP (WATER PRESSURE GAUGE)
R.O. Output: 50 G.P.D.

- Model # : A-103-4



**COMMERCIAL 5-STAGE
STAND TYPE RO SYSTEM
WITH PUMP (20")**

HY-8400

R.O. Output: 400 G.P.D.

- Model # : A-117-4 (400G *1)

HY-8800

R.O. Output: 800 G.P.D.

- Model # : A-100-111 (400G *2)



HY-8150

**COMMERCIAL 5-STAGE RO SYSTEM
WITH PUMP (20")**

R.O. Output: 150 G.P.D.

- Model # : A-114 (Manual Flush)
- Model # : A-114-2 (Manual Flush)(Stand Bracket)
- Model # : A-114-1 (Auto Flush)
- Model # : A-114-3 (Auto Flush)(Stand Bracket)



DEMO KIT

4-STAGE R.O. SYSTEM

*** Pressure Gauge is Optional

*** T.D.S. is Optional

*** Electronic Color Tester is Optional

R.O. Output: 50 G.P.D.

- Model # : A-107-8 (220V)
- Model # : A-107-18 (110V)



Direct Flow R.O. System

**5-STAGE R.O. SYSTEM WITH
PUMP(STAND BRACKET)
(PRESSURE GAUGE)**

- Model # : A-100-100
R.O. Output: 360 G.P.D.
(180G * 2)
- Model # : A-100-110
R.O. Output: 800 G.P.D.
(400G *2)



Direct Flow R.O. System

**5-STAGE R.O. SYSTEM WITH
PUMP (STAND BRACKET)
(PRESSURE GAUGE)**

- Model # : A-100-108
R.O. Output: 180 G.P.D.
- Model # : A-100-103
R.O. Output: 400 G.P.D.

過濾器 Filtration Systems



20" BIG FAT 3-STAGE
WATER PURIFIER(1NPT)

A-190-2
(METAL BRACKET)

A-190-6
(STAINLESS STEEL BRACKET)
(PP, CTO and GAC available)



10" BIG FAT WATER PURIFIER
(1NPT)

A-190-3
3-STAGE (METAL BRACKET)

A-190-1
2-STAGE (METAL BRACKET)

A-190-7
2-STAGE (STAINLESS STEEL
BRACKET)
(PP, CTO and GAC available)



20" BIG FAT 2-STAGE
WATER PURIFIER(1NPT)

A-190 (METAL BRACKET)

A-190-4 (METAL BRACKET)
(PRESSURE GAUGE*2)

A-190-5 (STAINLESS STEEL BRACKET)
(PP, CTO and GAC available)



3-STAGE WATER PURIFIER

A-122 10"

A-161 20"

(PP, CTO and GAC available)
In-Out Size: 3/8" & 1/4" & 1/2"
(OPTIONAL)



A-179-1

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1)
(HOUSING*2)

A-179-4

2-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1)
(HOUSING*1)



A-179-2

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*2)

A-179-5

3-STAGE WATER PURIFIER
(EVER TAIWAN CAP*2/HOUSING*1)

A-179-3

2-STAGE WATER PURIFIER
(EVER TAIWAN CAP*1/
HOUSING*1)



A-124

3-STAGE TRIPLE THREAD
DISPOSABLE WATER PURIFIER

(PP, CTO and GAC available)



Twist-IN DISPOSABLE WATER
PURIFIER (WITH WATER STOP VALVE)

A-124-5 3-STAGE

A-124-7 2-STAGE

(PP, CTO and GAC available)



A-122-6
3-STAGE WATER PURIFIER

A-121-3
2-STAGE WATER PURIFIER

A-121-1
1-STAGE WATER PURIFIER
(PP, CTO and GAC available)



A-122-7
3-STAGE IN-LINE WATER
PURIFIER (DISPOSABLE)
(PP, CTO and GAC available)



A-179
4-STAGE WINE PURIFIER



A-121-5
SINGLE WATER PURIFIER
(TWIST Cartridge)
(FAUCET Included)



A-124-9
SINGLE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



A-124-8
2-STAGE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



A-124-6
3-STAGE STAGE DISPOSABLE
WATER PURIFIER
(WITH WATER STOP VALVE)
(C-934-4 L FAUCET IS OPTIONAL)



B-312-7
HY-UF-1000 STAINLESS STEEL UF+KDF WATER FILTER (1,000L/H) 1/2"

B-312-8
HY-UF-1500 STAINLESS STEEL UF+KDF WATER FILTER (1,500L/H) 3/4"

B-312-2
HY-UF-2000 STAINLESS STEEL UF+KDF WATER FILTER (2,000L/H) 3/4"

B-312-9
HY-UF-2500 STAINLESS STEEL UF+KDF WATER FILTER (2,500L/H) 3/4"

飲水機 Top Counter Water Dispensers



R3-3S / R3-2S

Model	Product	Temp-type	Heating Capacity/Hour
A-173-12	R3-3S	Three-temp. (Cold / Warm / Hot)	3L/hr
A-173-16	R3-2S	Two-temp. (Warm/Hot)	3L/hr
Room Capacity/Hour		Chilling Capacity/Hour	Dimension (CM)
9.5L/hr		1.5L/hr	42.5x45x46.5
9.5L/hr		*	42.5x45x46.5



919C-A / 919HW-R

Model	Product	Temp-type	Heating Capacity/Hour
A-130	919C-A	Three-temp. (Cold / Warm / Hot)	12L/hr
Room Capacity/Hour		Chilling Capacity/Hour	Dimension (CM)
20L / Hr or More		20 L/hr	40x33x52



PR-CH

Model	Product	Temp-type	Heating Capacity/Hour
A-131-1	919HW-R	Two-temp. (Warm / Hot)	12L/hr
Room Capacity/Hour		Chilling Capacity/Hour	Dimension (CM)
20L / Hr or More		*	40x33x52

Model	Product	Temp-type	Heating Capacity/Hour
A-131-6	PR-CH	Two-temp. (Cold/Hot)	12L/hr
Room Capacity/Hour		Chilling Capacity/Hour	Dimension (CM)
*		20 L/hr	33x35x42



HS-38 / HS-68

Model	Product	Temp-type	Heating Capacity/Hour
A-173-10	HS-38	Two-temp. (Warm / Hot)	8 L/hr
A-173-17	HS-68	Three-temp. (Cold/Warm/Hot)	8 L/hr
Room Capacity/Hour		Chilling Capacity/Hour	Dimension (CM)
20L / Hr or More		*	19x28.5x41
20L / Hr or More		1.2L/hr	26.5x43x41



HY-518

Model	Product	Temp-type	Heating Capacity/Hour
A-136-8	HY-518	One-temp. (Hot)	4 L
Warm Capacity		Chilling Capacity	Dimension (CM)
*		*	23x23x41



ST-188

Model	Product	Temp-type	Heating Capacity/Hour
A-136-6	ST-188	Two-temp. (Warm / Hot)	5 L
Warm Capacity		Chilling Capacity	Dimension (CM)
		*	28x33x52



**HM-1001
HM-1002
HM-1001C**

Model	Product	Temp-type	Heating Capacity
A-164-6	HM-1001	Two-temp. (Cold / Hot)	4 L
Warm Capacity		Chilling Capacity	Dimension (CM)
		*	43x32x65

Model	Product	Temp-type	Heating Capacity
A-164-4	HM-1002	Two-temp. (Warm / Hot)	5 L
Warm Capacity		Chilling Capacity	Dimension (CM)
		*	43x32x65

Model	Product	Temp-type	Heating Capacity
A-164-7	HM-1001C	Two-temp. (Cold / Warm)	*
Warm Capacity		Chilling Capacity	Dimension (CM)
		3 L	43x32x65



R3 SODA DISPENSER

Model	Product	Temp-type	Heating Capacity
A-185-5	R3 SODA DISPENSER	One-temp. (Cold)	*
Warm Capacity	Chilling Capacity	Soda Water Capacity	Dimension (CM)
*	3L	1.2L	42.5x45x46.5

飲水機 Water Dispensers



929-CR

Model	Product	Temp-type	Heating Capacity/Hour
A-132-9	929-CR	Three-temp. (Cold/Warm/Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
20L / Hr or More	20 L/hr	40x33x105	



CW-598

Model	Product	Temp-type	Heating Capacity/Hour
A-132-10	CW-598	Two-temp. (Cold/Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
*	20 L/hr	33x35x95	



CW-698

Model	Product	Temp-type	Heating Capacity/Hour
A-132-11	CW-698	Two-temp. (Cold/Hot)	12L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
*	20 L/hr	33x35x105	



R5-3S / R5-2S

Model	Product	Temp-type	Heating Capacity/Hour
A-173-14	R5-3S	Three-temp. (Cold/Warm/Hot)	10 L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
12L/hr	8L/hr	43x43x135	

Model	Product	Temp-type	Heating Capacity/Hour
A-173-15	R5-2S	Two-temp. (Warm/Hot)	10L
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
12L/hr	*	43x43x135	

Remark : RO system is available for above Freestanding Water Dispensers.



**R7-3S / R7-2S
R7-3H / R7-2H**

Model	Product	Temp-type	Heating Capacity/Hour
A-173-18	R7-3S	Three-temp. (Cold/Warm/Hot)	10 L/hr
A-173-21	R7-2S	Two-temp. (Warm/Hot)	10 L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
12 L/hr	8L/hr	28.5x50x125	
12 L/hr	*	28.5x50x125	

Model	Product	Temp-type	Heating Capacity/Hour
A-173-19	R7-3H	Three-temp. (Cold/Warm/Hot)	18 L/hr
A-173-20	R7-2H	Two-temp. (Warm/Hot)	18 L/hr
Room Capacity/Hour	Chilling Capacity/Hour	Dimension (CM)	
10 L/hr	8L/hr	42.5x46.5x135	
10 L/hr	*	42.5x46.5x135	



D406

Model	Product	Temp-type	Heating Capacity
A-136-4	D406	Three-temp. (Cold / Warm / Hot)	5 L
Warm Capacity	Chilling Capacity	Dimension (CM)	
	4 L	44x50x130	



**HM500 / HM-5001
HM-5002**

Model	Product	Temp-type	Heating Capacity
A-164-2	HM500	Two-temp. (Cold / Warm)	*
Warm Capacity	Chilling Capacity	Dimension (CM)	
	4 L	43x32x110	

Model	Product	Temp-type	Heating Capacity
A-164-3	HM-5001	Two-temp. (Cold / Hot)	6 L
Warm Capacity	Chilling Capacity	Dimension (CM)	
*	4 L	43x32x110	

Model	Product	Temp-type	Heating Capacity
A-164-5	HM-5002	Two-temp. (Warm / Hot)	6 L
Warm Capacity	Chilling Capacity	Dimension (CM)	
	*	43x32x110	

臭気機 Ozonizer & 電解機 Water Ionizers



HY-2000

AIR AND FOOD DETOXYFYING OZONIZER

- Model No.: A-148-4
- Ozone Output : 150-200mg/Hour.



HY-330

TOP-COUNTER WATER IONIZER

- Model No.: A-125-10
- (2 foils and 1 slot)
- (alkaline X 4 sections)
- (acid X 1 section)
- (clean water X 1 section)

Replacement of HY-330: B-313-3



HY-377

TOP-COUNTER WATER IONIZER

- Model No.: A-125-12
- (3 foils and 2 slots)
- (7 Color Display & 8-inch Infrared Touch Screen)
- (PH · O.R.P · Flow Volume and Cleaning Display)
- (alkaline X 4 sections)(acid X 2 sections)
- (pure water X 1 section)

Replacement of HY-377: B-313-7



LV-9000

TOP-COUNTER WATER IONIZER

- Model No.: A-126-11
- (5 foils and 4 slots)
- (alkaline X4 sections)(acid X1 section)
- (clean water X1 section)
- (Display: TIME · PH · O.R.P · TDS and Flow Volume)

Replacement of LV-9000: B-313-1



HY-720

UNDER-COUNTER WATER IONIZER

- Model No.: A-125-7
- (3 foils and 2 slots)
- (alkaline X 4 sections)
- (acid X 1 section)
- (clean water X 1 section)

Replacement of HY-720: B-313-5

壓力桶 Storage Tanks & 不銹鋼桶 s.s Tank



HIGH BASE



Water Storage Tank

Part No	Product name
C-102	2.0GAL STEEL TANK-WHITE (1/4" NPT)
C-101-1	2.2GAL STEEL TANK-WHITE (1/4" NPT)
C-101-3	2.2G WHITE PLASTIC TANK (1/4" NPT)
C-103	3.2GAL STEEL TANK-WHITE (1/4"NPT)
C-104	3.2GAL STEEL TANK-BLUE (1/4"NPT)
C-100	4GAL PLASTIC TANK-WHITE 1/4" NPT (19L)
C-100-1	4GAL PLASTIC TANK-BLUE 1/4" NPT (19L)
C-108	5.5GAL STEEL TANK-BLUE 1/4"NPT
C-108-2	5.5GAL STEEL TANK-WHITE (1/4" NPT)
C-110	11 GAL STEEL TANK-BLUE (1" BSP)
C-110-1	11 GAL STEEL TANK-WHITE (1"BSP)
C-118-1	20GAL STEEL TANK-WHITE (1"BSP)
C-118-3	28GAL STEEL TANK (1" BSP)
C-118-4	40GAL STEEL TANK (1" BSP)
C-118-2	82GAL STEEL TANK (310 LITERS) (EG TANK VALVE INCLUDED)

Stainless Steel Tank for the Softener

Part No	Product name
C-112-8	STAINLESS STEEL TANK FOR THE SOFTENER(4L) 120X370MM
C-118-9	STAINLESS STEEL TANK FOR THE SOFTENER(9L) 150X485MM
C-118-10	STAINLESS STEEL TANK FOR THE SOFTENER(13L) 150X720MM
A-159	WATER SOFTNER (STAINLESS STEEL) (1/4") 150X450MM
A-160	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X590MM
A-160-1	WATER SOFTNER (STAINLESS STEEL) (1/2") 150X650MM

Stainless Steel =S.S

Stainless Steel Water Tower

Part No	Product name
C-116	200 LITERS TANK WITH HIGH BASE (60X220MM)
C-116-1	200 LITERS TANK WITH S.S. HIGH BASE (60X220MM)
C-113	200 LITERS TANK WITH LOW BASE (60X160MM)
C-113-1	200 LITERS TANK WITH S.S. LOW BASE (60X160MM)
C-114	300 LITERS TANK WITH LOW BASE (75X160MM)
C-115	500 LITERS TANK WITH S.S. LOW BASE (90X160MM)
C-115-1	1,000 LITERS TANK WITH S.S. LOW BASE (90X160MM)

Wall Mounted S.S Tank

Part No	Product name
C-112	9 LITERS TANK (FAUCET & TUBE INCLUDED)180*425 MM
C-112-1	12 LITERS TANK (FAUCET & TUBE INCLUDED)180*510 MM

濾殼 *Filter Housings*

※ ALL FILTER HOUSINGS IN THE FOLLOWING CONTAIN "PRESSURE RELIEF"



20" BIG FAT BLUE HOUSING
C-132-1 1" C-132-4 1.5"
C-132-6 1" (DOUBLE O-RING)
C-132-15 1" (COPPER THREAD)
C-132-10 1" (WHITE HOUSING)



20" BIG FAT CLEAR HOUSING
C-132-12 1" C-139 1.5"
C-132-8 1" (DOUBLE O-RING)
C-132-16 1" (COPPER THREAD)



10" BLUE BIG FAT HOUSING
C-132-2 1" C-132-5 1.5"
C-132-7 1" (DOUBLE O-RING)
C-132-13 1" (COPPER THREAD)
C-132-9 1" (WHITE HOUSING)



10" CLEAR BIG FAT HOUSING
C-132-11 1" C-139-1 1.5"
C-132-14 1" (COPPER THREAD)



20" WHITE HOUSING
C-131-2 3/8" C-129-2 1/2"
C-129-3 3/4"



20" CLEAR HOUSING
C-130-2 3/8" C-129-4 1/2"
C-133 3/4"



20" BLUE HOUSING
C-129 3/8" C-130 1/2"
C-131 3/4"



20" CLEAR HOUSING
C-130-3 3/8" C-130-1 1/2"
C-131-1 3/4"



10" KFC FAT CLEAR HOUSING
C-135 1/2" C-137 3/4"



10" KFC FAT BLUE HOUSING
C-134 1/2" C-136 3/4"
C-134-1 3/8"



10" YT CLEAR HOUSING
C-123-2 1/4"
C-138-5 1/2"
C-121-2 3/8"



10" YT WHITE HOUSING
C-124-2 1/4"
C-138-6 1/2"
C-121-4 3/8"



10" EG CLEAR HOUSING
C-141-3 1/4"
C-141-4 1/2"
C-141-2 3/8"



10" EG WHITE HOUSING
C-141-5 1/4"
C-141-8 1/2"
C-141-1 3/8"



10" EG CLEAR HOUSING (DOUBLE O-RING)
C-141-6 1/4"
C-141-9 1/2"



10" EG WHITE HOUSING (DOUBLE O-RING)
C-141-7 1/4"
C-141-13 1/2"



10" CLEAR HOUSING
C-121-5 1/4"
C-138-1 1/2"
C-121 3/8"
C-138-4 3/4"



10" BLUE HOUSING
C-121-6 1/4"
C-138 1/2"
C-122-2 3/8"



CANDLE TYPE HOUSING (SPIRAL TYPE AS 3/8")
C-128-9
CLEAR HOUSING
C-128-10
WHITE HOUSING



CANDLE TYPE HOUSING (INSERT TYPE)
C-128-11
CLEAR HOUSING
C-128-12
WHITE HOUSING



5" BLUE HOUSING
C-126-1 1/4"
C-125-4 1/2"
5" WHITE HOUSING
C-126-2 1/4"
C-126-3 1/2"



5" CLEAR HOUSING
C-125-1 1/4"
C-125-3 1/2"
C-125-2 1/4"
(WHITE CAP)
C-126-8 1/2"
(WHITE CAP)



5" WHITE HOUSING
C-126-4 1/4"
C-126-5 1/2"
5" CLEAR HOUSING
C-126-7 1/4"
C-126-6 1/2"

濾殼 Filter Housings



RO MEMBRANE
WHITE HOUSING
C-267 35-180GPD
C-267-8 400GPD



CONE HOUSING 1/4"
(W)70MM(L)320MM
B-302-17
CLEAR HOUSING
B-302-7
WHITE HOUSING



EMPTY SHELL (3/4")
A-189-13
(WASHING MACHINE FILTER)
(C-275-14 POLY PHOSPHATE
CRYSTAL IS OPTIONAL)



10" EMPTY SHELL
(YELLOW CAP)
B-302-13
CLEAR HOUSING
B-302-11
WHITE HOUSING



10" EMPTY SHELL
(BLUE CAP)
B-302-12
CLEAR HOUSING
B-302-6
WHITE HOUSING



10" EMPTY SHELL
(GREEN CAP)
B-302-14
CLEAR HOUSING
B-302-15
WHITE HOUSING



THE FILLING EMPTY SHELL(1/4")
(W)70MM(L)300MM
C-308-8 CLEAR SHELL
C-308-9 WHITE SHELL



THE FILLING EMPTY SHELL(1/4")
(W)50MM/(L)270MM
B-302-3 CLEAR SHELL
C-302-6 YELLOW SHELL
B-302-2 WHITE SHELL
B-302-9 GREEN SHELL
B-302-20 5" SHELL (EZ)
B-302-21 5" SHELL

沐浴過濾器 Shower Filters



A-181
HANDY SHOWER SPRAY
(CASO3 & FAR INFRARED ENERGY)



A-181-1
THE REPLACEMENT OF
HANDY SHOWER SPRAY
(CASO3 & FAR INFRARED ENERGY)



A-181-5
EASY INSTALLATION 4 IN 1
SHOWER FILTER (FAMILY MEMBER 3~5)



A-189-3
SHOWER FILTER SET
(KDF+CARBON+CASO3)



A-189-4
THE REPLACEMENT OF
SHOWER FILTER SET



[BACTERIA FREE]



A-121-6
SINGLE STAGE UF
WATER PURIFIER



A-122-9
1 STAGE CERAMIC
WATER PURIFIER

R.O. 零件 R.O. Accessories



C-152
6080 FAIRY WATER PUMP
(1.2LPM/125PSI)



C-152-6
6088 AQUA-WIN PUMP
(1.2LPM/125PSI)



C-155-1
HIGH FLOW PUMP
110VAC



C-154
8005 HIGH FLOW PUMP
(150PSI)36VDC/48VDC



C-154-3
TWIN BOOSTER PUMP
(50LPM)(48VDC)(150PSI)



C-286
TRIANGLE DIAPHRAGM
(FOR 6088 & 6080 PUMP)



C-214
LOW PRESSURE
SWITCHES (1/4"NPT)



C-214-1
EZ LOW PRESSURE
SWITCHES(1/4"NPT)



C-212-2
HIGH PRESSURE
SWITCHES (1/4"NPT)



C-212-3
EZ HIGH PRESSURE
SWITCHES (1/4"NPT)



SOLENOID VALVE 1/4"
C-216-7 (110V)
C-216-9 (220V)
C-216-10 (DC24V)
C-216-13 (110V) (EZ)
C-216-14 (DC24V) (EZ)



SOLENOID VALVE /
AC 1/4"
C-216 (110V)
C-216-1 (220V)
C-216-3 (DC24V)



SOLENOID VALVE / AC
C-217 (110V) 3/8"
C-217-1 (220V) 3/8"
C-218-4 (110V) 1/2"
C-219 (110V) 3/4"
C-220-2 (110V) 1"PT



C-265-3
AUTOMATIC SHUT-OFF
VALVES (1/4"NPT)



C-265-2
EZ AUTO SHUT-OFF
VALVES (1/4"NPT)



C-275-15
PORTABLE PH TESTER
(WATERPROOF)
C-262-3
PORTABLE ORP TESTER



C-275
PORTABLE TDS-3 TESTER
(MADE BY HM DIGITAL)



C-294
PORTABLE TANK
PRESSURE TESTER



IC CONTROLLER
(NO LED) (AUTO FLUSH)
C-237 (110V)
C-237-1 (220V)



TDS DISPLAY IC
CONTROLLER
(AUTO FLUSH)
C-239-2 (110V)
C-239-4 (220V)



HOUSING SPANNER
WRENCHES (O TYPE)
C-272 (For 10")
C-274-2
(For 10" & 20" BIG FAT)
C-272-2
(For 400G RO HOUSING)
C-128-21 (FOR HY-8035)



HOUSING SPANNER
WRENCHES (O TYPE)
C-274-1 (For 20")
C-273-1 (For 10")
(MEDIUM HOUSING)
C-274-3 (FOR 10" &
20" BIG FAT)



C-272-1
HOUSING SPANNER
WRENCHES



SINGLE CLAMP
C-231 (SMALL 2")
C-233 (BIG 2.5")
C-233-2 (For 400G
MEMBRANE HOUSING)
C-235
(FOR FLOW RESTRICTOR)



DOUBLE CLAMP
C-232 (2"/2.5")
C-233-1 (2.5"/2.5")
C-234 (2"/2")
C-233-3 (For 400G
MEMBRANE HOUSING+
POST CARBON)



PUMP TRANSFORMER
C-159 (36VDC/110V)
C-159-1 (36VDC/220V)
C-156 (24VDC/110V)
C-157-2 (24VDC/220V)
C-160 (48VDC/110V/1.8A)
C-160-1 (48VDC/220V/1.8A)



**THE CAP OF EVER
 FILTER (BLACK)**
 (MADE IN TAIWAN)
A-519-2
 (STEEL RING)
A-519-7
 (PLASTIC RING)



**THE CAP OF
 EVERPURE FILTER
 (SILVER)**
 (MADE IN TAIWAN)
A-519-11 (RING)
A-519-12 (NO RING)



C-173
 THE CAP OF 6088
 & 6080 & 8000
 PUMP (1041X)



**PAE EG TANK
 BALL VALVE**
C-226-1 (1/4")
C-226-2 (3/8")



C-225
 PVC FLUSH VALVE
 (1/4" NPT)



C-285-3
 DRAIN CLAMP 1/4"
 (EZ)



C-285-2
 DRAIN CLAMP
 (1/4")



**ELECTRONIC COLOR
 TESTER (110V/220V)**
C-278 (2 FLAT PINS)
C-278-3 (2 ROUND PINS)



C-264-1
 WATER CUT-OFF
 AND FLOW RATE
 ADJUSTOR (3/8")



C-291-9
 CUT-DOWN
 PRESSURE
 VALVE (PLASTIC)
 1/4"NPT



**CUT-DOWN PRESSURE
 VALVE (COPPER)**
 (1/4") **C-291-4**
 (1/2") **C-291-10**



C-291-14
 CUT-DOWN
 PRESSURE
 VALVE
 (PLASTIC)
 1/4"NPT



C-171
 THE CAP OF C-169-1
 1/2 HP PUMP
 (PROCOM HEAD)
 CO1504X"



C-172
 THE HEAD OF C-170 1 HP
 PUMP (PROCOM CAP)
 2507X"



**BOOSTER PUMP
 (INNER REVOLUTION)**
C-169-1
 (1/2HP) (110V/220V/60HZ)
C-170
 (1HP) (1-WAY CIRCUIT)
 (110V/220V/60HZ)
C-170-4
 (3HP) (3-WAY CIRCUIT)



**RAW WATER PRESSURIZED
 PUMP**
C-174 (1/2HP)
C-174-1 (1/4HP)

R.O. 零件 R.O. Accessories



WATER PRESSURE
GAUGE

C-304-6
1.5"(10KG) (1/8") (EZ)

C-304-7
2.5"(10KG) (1/4")
(For FEED WATER)

C-304-11
2.5"(15KG) (1/4")
(For OPERATING)



WATER PRESSURE
GAUGE (1/4")

C-304 (10KG) (150PSI)
C-304-1 (20KG) (300PSI)



C-304-12

WATER PRESSURE
GAUGE
(10KG/150PSI*1/8"PT)



C-304-2

WATER PRESSURE
GAUGE (10KG/PSI)
(1/8"NPT)



DIGI-FLOW
WATER CAPACITY &
TIMING SETTING

C-263-4 (3/8")

C-263-6 (3/4")

C-263-7 (1/4")



FLOW METER

C-262 2GPM (10LPM)

C-263 5GPM (20LPM)

C-264 10GPM (40LPM)

C-263-1 16GPM (64LPM)

C-263-2 20GPM (80LPM)



C-229

BRASS BALL VALVE
1/4" NPT



C-230

BRASS BALL VALVE
3/8" NPT



C-229-1

BRASS BALL VALVE 1/4"
NPT (1/2*1/4)

C-230-1
BRASS BALL VALVE 3/8"
NPT (1/2*3/8)



C-901-3

UNIVERSAL FAUCET
ADAPTOR 2.24*22MM



RUBBER FAUCET
ADAPTOR

C-901-1 (WHITE)

C-901-9 (BLACK)



C-938

FAUCET ADAPTOR
1/2"



C-289-2

SHOWER ADAPTER
(1/2" FEMALE THREAD)
(45° ANGLE)



C-933-1

L TYPE COPPER
CONNECTER
(1/4" NPT)
(3/8" STEM)



C-933-3

L TYPE COPPER
CONNECTER 1/4"



C-228

FAUCET ADAPTOR
(1/4"; 3/4")



FAUCET ADAPTER

C-227 (1/4", 1/2") (62MM)

C-227-4 (1/4", 3/8") (38MM)

C-227-3 (1/4", 3/8") (62MM)



STAINLESS STEEL
MIXER VALVE 1/4"
C-283-3 (EZ)
C-283-2 (JACO)



C-283-6
ROUND CAP STAINLESS STEEL
MIXER VALVE 1/4"



C-283-5
INLET CROSS
ADAPTER (1/4")



C-230-4
CONTROL VALVE 1/4"



SINGLE WAY SWITCH
C-930-9 (1/4")
C-930-2 (3/8")



DOUBLE WAY SWITCH
C-930-1 (3/8")
C-930-8 (1/4")



C-930-7
DOUBLE-WAY
SWITCH + CAP (1/4")

C-930-6
SINGLE WAY SWITCH
+ CAP (1/4")



A-158-4
5-WAY VALVE
A-158-6
MANUAL 3-WAY VALVE
(BORE: 2.5") (IN/OUT: 1")
(1 IN 2 OUT)



2-WAY VALVE
C-289 (BORE: 2.5")
(IN-OUT 1")
C-289-6 (BORE: 4")
(IN-OUT 1.5")



FLOW RESTRICTOR
(1/4") (@60 PSI)
C-222 (300)
C-221 (400)
C-224-2 (500)
C-224-3 (600)



FLOW RESTRICTOR
(1/4") (@60 PSI)
OUTER THREAD
C-222-1 (300)
C-221-1 (400)
C-224-9 (500)
C-224-10 (600)



EZ FLOW RESTRICTOR (1/4")
C-222-10 (300)
C-222-5 (350)
C-221-5 (400)
C-224-6 (500)
C-222-11 (550)
C-224-5 (600)



PVC FLUSH VALVE &
FLOW RESTRICTOR
C-225-7 (250)
C-225-9 (300)
C-225-6 (400)
C-225-10 (500)
C-225-8 (600)
C-225-11 (700)



C-226-17
PRESSURIZED FLUSH
VALVE + FLOW
RESTRICTOR (1/4")
(NUT INCLUDED)



PLASTIC TUBE 300M

C-244 WHITE (1/4")
C-245 BLUE (1/4")
C-244-3 BLACK (1/4")
C-244-4 RED (1/4")
C-244-5 YELLOW (1/4")
C-244-7 GREEN (1/4")
C-244-8 ORANGE (1/4")

150M

C-246 WHITE (3/8")
C-247 BLUE (3/8")
C-247-4 ORANGE (3/8")

75M

C-244-B BLUE (1/2")



C-936
TUBBING CUTTER



C-230-2
NEEDLE VALVE
1/4" (2 BARS)



C-230-3
NEEDLE VALVE 1/4"

濾材 Cartridge Filters



B-103-2 5" PP (5U)
B-103-8 10" PP (5U)
B-103-13 10" PP (5U)NSF
B-119-8 20" PP (5U)
B-119-12 20" PP (5U)NSF
B-127 30" PP (5U)
B-129 40" PP (5U)



B-103-3 5" PP (1U)
B-104-1 10" PP (1U)
B-101-5 10" PP (1U)NSF
B-119-9 20" PP (1U)
B-119-13 20" PP (1U)NSF
B-128 30" PP (1U)
B-130 40" PP (1U)



PP FURROW
B-125-6 10" (5U)
B-125-7 10" (1U)
B-119-10 20" (5U)
B-119-11 20" (1U)
 PP LINE
B-125-2 10" (5U)
B-125-5 10" (1U)
B-174-7 20" (5U)
B-127-1 20" (1U)



PLEATED DEPTH
 FILTER
B-105-1 10"
B-105-15 20"



WOUND FILTER
B-116 10"
B-116-1 20"



PURTREX PP FILTER
 (MADE in USA)
B-101-2 10" PX-5M
B-101-3 10" PX-1M
B-123 20" PX-5M
B-124 20" PX-1M



B-220-1
 10" DOUBLE-DECKED
 PP & CARBON FILTER
 (RAISED END SIDE)



B-219
 10" DOUBLE-DECKED
 PP & CARBON FILTER
 (FLAT 2 SIDE)



ABSOLUTE FILTER
 (0.45M)
B-105-10 10"
B-105-8 20"



UDF GRAIN CARBON
 FILTER
B-203-2 10"
B-223 20"



B-204-1
 10" GAC GRAIN
 CARBON FILTER



B-204
 10" T33/934 GRAIN
 CARBON FILTER



T33 GRAIN
 CARBON FILTER
B-204-2 10"
B-222-1 20"



B-205
 10" OMNIPURE
 OCB934/T33
 GRAIN FILTER
 (MADE in USA)



B-202
 10" T33/OCB GRAIN
 CARBON FILTER



B-601-7
 10" BAMBOO
 CARBON FILTER



KKS BLOCK
 CARBON FILTER
B-201-3 10"
B-224-20 20"



KA BLOCK
 CARBON FILTER
B-208-6 5"
B-210-5 10"
B-224-14 20"



B-210
 10" KA BLOCK
 CARBON FILTER
 (NSF)



MATRIKX CTO/2
 CARBON
 (MADE in USA)
B-210-1 10"

L:285MM D:60MM



K33 DISPOSABLE
CARBON FILTER
B-217-2
B-218-7 (EZ)



K33 DISPOSABLE
PRE-FILTER
(TRANSLUCENT)
B-218-3
B-218-2 (EZ)



K33 DISPOSABLE
RESIN FILTER
B-217-1
B-218-8 (EZ)
B-215-7
DEIONIZATION (DI)
(Water 0 PPM)



K33 DISPOSABLE
PRE-FILTER (WHITE)
B-218-1
B-218-6 (EZ)



B-314-3
10" TWIST
GRAIN CARBON
FILTER (1/4"NPT)



B-314-4
10" TWIST
BLOCK CARBON
FILTER (1/4"NPT)
NET COVERED



B-301-2
10" TRANSPARENT
RESIN FILTER
RSN (RECYCLABLE)
B-301-4 (DI)
(Water 0 PPM)



B-301-1
10" RESIN FILTER
RSN (WHITE SHELL)
(RECYCLABLE)
B-303-5 (DI) (Water 0 PPM)



B-301-3
SOLVENT-FREE RESIN
FILTER (RECYCLED)
Water Hardness
Improved & Heavy
Metal Removed



B-314-18
10" TWIST
BLOCK CARBON
FILTER (1/4"NPT)



B-314-2
10" TWIST SEDIMENT
PP FILTER (1/4"NPT)



10" INSERT BLOCK
CARBON FILTER
B-314-28
NET COVERED
B-314-29
NON-NET COVERED



B-314-26
10" INSERT
SEDIMENT PP FILTER



B-314-27
10" INSERT GRAIN
CARBON FILTER



B-314-15
10" TWIST BLOCK
CARBON FILTER
(3/8"NPT)



B-314-16
10" TWIST GRAIN
CARBON FILTER
(3/8"NPT)



B-314-14
10" TWIST
SEDIMENT PP FILTER
(3/8"NPT)



Filter replacement without shutting
off water switch



C-143-12



TWIST-IN
DISPOSABLE FILTER

B-217-12 PP(TRANSLUCENT)

B-217-13 PP

B-217-14 GAC/UDF GRAIN CARBON

B-217-15 BLOCK CARBON

B-217-16 RESIN

C-143-12 THE CAP

B-217-18 UF

B-217-21 UF (TRANSLUCENT)

B-217-19 RO MEMBRANE

B-217-20 DI(WATER 0 PPM)

B-217-22 PH

濾材 Cartridge Filters



IN-LINE CL-10
POST CARBON
FILTER (1/4"NPT)

B-214

B-215-1 (NSF)

B-215-5 (EZ)

B-213-4 (EZ) (NSF)

B-213-6 (BLOCK)

B-213-7 (BLOCK)

(NSF)



B-601-6

BAMBOO POST
CARBON FILTER
(1/4"NPT)



B-216

OMNIPURE CL-10
/ ROT33 CARBON
FILTER (1/4"NPT)
(Made in USA)



B-215

IN-LINE CL-10 T33
CARBON (1/4"NPT)
(L:264MM)



IN-LINE PF-5
PPFILTER (1/4"NPT)
(L:254MM)

B-126 SHELL
WHITE


B-126-1
TRANSLUCENT
SHELL



6" IN-LINE FILTER
(15CM)

B-226 PP

B-226-1 CARBON



**Nano Silver
Filter**



NANO-SILVER BLOCK
CARBON FILTER
(ANTI-BACTERIA)

B-210-7 10"

B-210-8 20"



BIG FAT NANO-
SILVER BLOCK
CARBON FILTER
(ANTI-BACTERIA)

B-224-18 10"

B-224-19 20"



B-215-9
IN LINE CL-10 NANO-
SILVER CARBON
FILTER



B-314-13

10" NANO-SILVER
ACTIVATED CARBON
FILTER (1/4")
(SCREW-IN)



RO-NF MEMBRANE
60-80%

B-401-4 ALR50G

B-401-7 ALR140G

B-401-8 ALR240G



FILMTEC RO
MEMBRANE
(MADE in USA)

B-403 50G

B-405 75G

B-405-1 100G



AQUA-WIN RO
MEMBRANE

B-401-17 400G



RO MEMBRANE
(NSF MATERIAL)

B-401-3

AQUA-SAFE 50G
(TW30-1810-50)
(SHORT)

B-405-7
KING-PRO 50G

B-401-9
AQUA-WIN 80G

B-401-10
AQUA-WIN 100G

B-405-12
AQUA-WIN 180G



AQUA-WIN RO
MEMBRANE
(Made in Taiwan)

B-407-2
2521"(250G)

B-408-3
4021"(800G)

B-411-7
4040"(1500G)



B-405-10


KING-PRO 50G RO
MEMBRANE
(NANO-SILVER)



Main performance indices

- Membrane material : Polypropylene (PP)
- Porosity : 40~50%
- Membrane bore diameter : 0.01~0.1 μ m
- Operation temperature : 4~40°C
- PH : 0~14

Comparison of Filtration Square Measure



B-317-19
IN-LINE UF MEMBRANE
(L: 255MM / ϕ : 50MM)



UF MEMBRANE
(UDF TYPE)
B-317-18 10"
B-317-21 20"

[WASHABLE]



B-302-7
THE WHITE HOUSING
OF B-314-17

B-314-17
EXPOSED UF MEMBRANE
(1/4"NPT)
(L: 254MM/ ϕ : 48MM)



**BIG FAT PLEATED
DEPTH FILTER**
B-105-5 10"
B-105-2 20"



BIG FAT PP FILTER(5U)
B-117-3 10"
B-117-1 20"



**KA BIG FAT BLOCK
CARBON FILTER**
B-224-16 10"
B-224-17 20"

**KKS BIG FAT BLOCK
CARBON FILTER**
B-209-3 10"
B-224-5 20"



**BIG FAT T33 GRAIN
CARBON FILTER**
B-224-15 10"
B-224-11 20"



**BIG FAT RESIN
FILTER(RSN)**
B-303-3 10"
B-303-2 20"



B-304-5
20" RESIN
FILTER(MJ)



**EVERPURE
CARTRIDGE
(MADE IN USA)**
B-322 MC(2)
B-311-6 MH(2)
B-310-2 I2000(2)
B-311-2 I4000/I4000(2)



**EVERPURE
CARTRIDGE
(MADE IN USA)**
B-309 S-100
B-311-1 H-100
B-309-3 S-104
B-309-4 H-104
B-309-2 4C
B-310-4 BH(2)



**EVERPURE
CARTRIDGE
(MADE IN USA)**
B-309-5 S-54
B-309-7 H-54



CERAMIC FILTER
B-314-12 10"
(MADE BY DOULTON)
B-131 10"
(MADE IN TAIWAN)
B-131-1 20"
(MADE IN TAIWAN)



10" CERAMIC FILTER
B-314-1 (MADE IN TAIWAN)
B-314 (MADE BY DOULTON)



**2.5" TRIPLE THREAD DISPOSABLE
FILER (FOR HY-8088)**

B-314-31 PP
B-314-32 GAC
B-314-33 CTO
B-314-34 RESIN
B-314-35 UF MEMBRANE
B-314-36 DI (WATER 0 PPM)
C-128-28 THE CAP

濾材 Cartridge Filters



B-215-6
IN-LINE POST
DEIONIZATION
(DI) FILTER (1/4" NPT)
(WATER 0 PPM)



B-304
20" DEIONIZATION
(DI) FILTERS
(WATER 0 PPM)



B-303-6
20" BIG FAT
DEIONIZATION
(DI) FILTERS
(WATER 0 PPM)



B-501
IN-LINE MINERAL
STONE FILTER
(TRANSPARENT)
(1/4"NPT)



B-502
IN-LINE MINERAL
STONE FILTER
(1/4"NPT)



B-503-1
IN-LINE 4 IN 1
FILTER
(1/4"NPT)



B-213-3
IN-LINE INFRA-RED
FILTER (1/4" NPT)
(GREEN HOUSING)



B-505
IN-LINE INFRA-RED
FILTER
(4 TUBES INSIDE)
(1/4" NPT)
(TRANSPARENT)



B-503-2
IN-LINE INFRA-RED
FILTER
(4 TUBES INSIDE)
(1/4" NPT)



OMNIPURE E-Series
FILTER (MADE in USA)
B-309-6 E5515-P
Removed:
Cysts
Lead
Scale
Taste
Odor
Chlorine



B-601-8
ALKALINE PH POST
FILTER (1/4" NPT)
(PH 8.00~9.50)




B-101
ELIMINATION
LIMESCALE
FILTER (1/4" NPT)



B-507-7
ORP ALKALINE
FILTER (T808) (1/4" NPT)
(-150MV ~ -250MV)

Change the water PH value into 8.5-9.0
and water from a positive potential to
negative potential
(approximately -150~-250 mV)



出水口 *Faucets*



C-901-4
FAUCET EXTENDER 3"
(WITH NUTS)
C-240-7
FAUCET SCREWDRIIVER
(H: 375MM)



C-240
GOOSE FAUCET
(BLACK PRESS BUTTON)
1/4"NPT



C-240-6
GOOSE FAUCET
(WHITE PRESS
BUTTON) 1/4"NPT



CERAMIC FAUCET
(GOLDEN HEAD 1/4"NPT)
C-241
3 GOLDEN POINTS
C-241-17
2 GOLDEN POINTS



CERAMIC FAUCET
(SILVER HEAD) 1/4"NPT
C-241-7
3 GOLDEN POINTS



C-241-5
SINGLE-HANDLE VASE
FAUCET(1/4"PT)



C-241-13
AMERICAN STYLE
FAUCET(1/4"NPT)(M)



C-241-9
AMERICAN STYLE
FAUCET(BIG)(1/4"PT)



C-241-10
AMERICAN STYLE DOUBLE
CONTROL FAUCET
(COLD/HOT)



C-241-14
SINGLE-HANDLE
VASE FAUCET(1/4"NPT)



C-241-15
AMERICAN STYLE
FAUCET(BIG)(1/4"NPT)



C-241-16
EGG HANDLE STYLE
FAUCET(1/4"NPT)



C-241-6
MINI AMERICAN
STYLE FAUCET
1/4"NPT



C-241-4
MINI AMERICAN
STYLE BEND FAUCET
1/4"NPT



C-934
N TYPE FAUCET



C-934-4
L TYPE FAUCET
INCLUDING
CONNECTOR 1/4"

The picture is only for
reference, please make
the object as the
standard.



PRESSURIZED WATER
BUTTON for WATER
DISPENSER
(COLD/WARM/HOT)

C-248: FOR D-406
Dispenser
C-248-1: FOR389 / ST188
Dispenser
C-248-3: FOR 3013
Dispenser



C-242-13
ACID WATER FAUCET
(3/8"NPT)



C-311
STRAIGHT FOUNTAIN
FOR A-173-5 & A-173-7 & A-173-8



3-IN-1 FAUCET
C-243-2 SWAN TYPE(3/8" NPT)
C-243-3 PENGUIN TYPE(3/8" NPT)

鐵架、鐵片 Brackets



3 STAGE BIG FAT
STAND BRACKET
C-208-6 (10")
C-208-5 (20")



C-208-2
2 STAGE BIG FAT
STAND BRACKET (20")



C-208-4
2 STAGE BIG FAT
STAND BRACKET (10")



C-201-9
3 STAGE EVER
STAND BRACKET(10")



C-201-10
2 STAGE EVER
STAND BRACKET(10")



C-203
20" RO STAND
BRACKET



C-201-3
10" RO STAND
BRACKET(FULL BACK)



C-201-1
10" RO STAND
BRACKET (FULL BACK)



C-201-13
10" RO STAND
BRACKET
(WITH WATER
PRESSURE
GAUGE HOLE)



C-201-11
10" RO STAND BRACKET
(NO WATER PRESSURE
GAUGE)



C-205
10" EVER BRACKET
C-206 (3 STAGE)
C-205 (2 STAGE)



C-204
SI DE BRACKET
FOR PUMP



C-205-2
C-207
C-207-1
2 STAGE BRACKET
C-205-2 (10")
C-207 (20")
C-207-1 (20") (BIG FAT)



C-210
C-210-1
SINGAL STAGE
WALL-MOUNTED BRACKET
C-210 (FOR 10" & 20" HOUSING)
C-210-1 (FOR 10" & 20" BIG FAT HOUSING)



C-206-1
C-201
RO BRACKET
C-201 (10")
C-206-1 (1" TYPE)



C-206-2
C-208 **C-208-1**
3 STAGE BRACKET
C-206-2 (10")
C-208 (20")
C-208-1 (20")(BIG FAT)



C-209-4
C-209-2 **C-209-1**
C-209-4
FAUCET WALL-MOUNTED
RING
FAUCET WALL-MOUNTED
RING 3/8" & 1/4"
C-209-1 (METAL)
C-209-2 (PLASTIC)

傳統接頭 *Jaco Fittings*



Male Connector			
MODEL No.	Description	Tube	Thread
C-904	10-4-2 Male connector	1/4"	1/8"
C-903	10-4-4 Male connector	1/4"	1/4"
C-906	10-4-6 Male connector	1/4"	3/8"
C-911	10-4-8 Male connector	1/4"	1/2"
C-907	10-6-4 Male connector	3/8"	1/4"
C-908	10-6-6 Male connector	3/8"	3/8"
C-912	10-6-8 Male connector	3/8"	1/2"



Male Elbow			
MODEL No.	Description	Tube	Thread
C-914	40-4-2 Male elbow	1/4"	1/8"
C-914-1	40-6-8 Male elbow	3/8"	1/2"
C-913	40-4-4 Male elbow	1/4"	1/4"
C-913-1	40-4-4 Q Male elbow (Including O-ring)	1/4"	1/4"
C-916	40-4-6 Male elbow	1/4"	3/8"
C-917	40-6-4 Male elbow	3/8"	1/4"
C-918	40-6-6 Male elbow	3/8"	3/8"



Unior Connector			
MODEL No.	Description	Tube	Thread
C-905	15-4-4 Unior connector	1/4"	1/4"
C-909	15-6-4 Unior connector	1/4"	3/8"
C-910	15-6-6 Unior connector	1/4"	3/8"
C-910-6	15-6-8 Unior connector	3/8"	1/2"
C-910-7	15-8-8 Unior connector	1/2"	1/2"



Male Elbow			
MODEL No.	Description	Tube	Thread
C-913-3	50-4-4 Male elbow	1/4"	1/4"
C-913-7	50-6-6 Male elbow	3/8"	3/8"
C-913-8	50-8-8 Male elbow	1/2"	1/2"



Male Connector			
MODEL No.	Description	Tube	Thread
C-915-2	25-4-2 Male connector	1/4"	1/8"
C-915-3	25-4-4 Male connector	1/4"	1/4"



Male Run Tee			
MODEL No.	Description	Tube	Thread
C-919	75-4-4 Male run tee	1/4"	1/4"
C-922-2	75-6-4 Male run tee	3/8"	1/4"
C-922	75-6-6 Male run tee	3/8"	3/8"
C-922-1	76-4-4 Male run tee	3/8" & 1/4"	1/4"



Male Branch Tee			
MODEL No.	Description	Tube	Thread
C-920-2	60-4-2 Male branch tee	1/4"	1/8"
C-921	60-4-4 Male branch tee	1/4"	1/4"
C-925	60-6-4 Male branch tee	3/8"	1/4"
C-924	60-6-6 Male branch tee	3/8"	3/8"
C-924-1	60-8-6 Male branch tee	1/2"	3/8"
C-924-2	60-8-8 Male branch tee	1/2"	1/2"



Central Connector		
MODEL No.	Description	Tube
C-926	CC-2W PP central connector	1/4"
C-926-1	CC-2W PP central connector (Including O-ring)	1/4"
C-927	CC-3W PP central connector	3/8"
C-928	CC-4W PP central connector	1/2"
C-928-1	CC-4W PP central connector (Including O-ring)	1/2"
C-929	CC-4W PP central connector	3/4"
C-929-1	CC-1 PP central connector	1"



Female Elbow			
MODEL No.	Description	Tube	Thread
C-915	45-4-2 Female elbow	1/4"	1/8"
C-915-1	45-4-4 Female elbow	1/4"	1/4"



Union Tee		
MODEL No.	Description	Tube
C-920	70-4-4 Union tee	1/4"
C-923	70-6-6 Union tee	3/8"
C-920-5	70-8-8 Union tee	1/2"



Tubing Inserts		
MODEL No.	Description	Tube
C-939	PI-01 Tubing Inserts	1/4"
C-939-4	PI-02 Tubing Inserts	3/8"



Drainage Adapter		
MODEL No.	Description	Tube
C-285	Drainage Adapter	1/2"

快接接頭 EZ Fittings

Male Connector

MODEL No.	PART No.	Tube O.D	NPTF Thread
C-904-8	MC0402	1/4"	1/8"
C-604-7	MC0404	1/4"	1/4"
C-904-12	MC0406	1/4"	3/8"
C-904-14	MC0604	3/8"	1/4"
C-904-15	MC0606	3/8"	3/8"
C-904-16	MC0608	3/8"	1/2"



Union Connector

MODEL No.	PART No.	Tube O.D	Tube O.D
C-921-12	UC0404	1/4"	1/4"
C-921-15	UC0604	3/8"	1/4"
C-910-1	UC0606	3/8"	3/8"



Faucet Connector

MODEL No.	PART No.	Tube O.D	UNF Thread
C-921-5	FA04-716	1/4"	7/16"
C-915-8	FA06-716	3/8"	7/16"
C-915-9	FA0404	1/4"	1/4"



Male Run Tee

MODEL No.	PART No.	Tube 1	NPTF Thread	Tube 3
C-921-14	MRT0404	1/4"	1/4"	1/4"
C-923-9	MRT0604	3/8"	1/4"	1/4"



Stem Adapter

MODEL No.	PART No.	Stem O.D	NPTF Thread
C-921-6	SA0404	1/4"	1/4"
C-921-19	SA0604	3/8"	1/4"
C-921-20	SA0606	3/8"	3/8"



Main Stem Tee / Stem Branch Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Stem O.D
C-921-4	SBT0404	1/4"	1/4"	1/4"



Stem To House Elbow

MODEL No.	PART No.	Stem O.D	Stem O.D
C-904-4	4SHE4	1/4"	1/4"
C-904-5	6SHE4	1/4"	3/8"



Male Elbow

MODEL No.	PART No.	Tube O.D	NPTF Thread
C-904-7	ME0402	1/4"	1/8"
C-913-4	ME0404	1/4"	1/4"
C-904-10	ME0406	1/4"	3/8"
C-904-17	ME0604	3/8"	1/4"
C-918-2	ME0606	3/8"	3/8"
C-904-18	ME0608	3/8"	1/2"

Union Elbow

MODEL No.	PART No.	Tube O.D	Tube O.D
C-921-11	UE0404	1/4"	1/4"
C-909-2	UE0604	3/8"	1/4"
C-910-3	UE0606	3/8"	3/8"

Male Branch Tee

MODEL No.	PART No.	Tube1	Tube2	NPTF Thread3
C-921-7	MBT0404	1/4"	1/4"	1/4"
C-918-3	MBT0606	3/8"	3/8"	3/8"

Union Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Tube O.D
C-921-9	UT0404	1/4"	1/4"	1/4"
C-904-19	UT0406	3/8"	1/4"	3/8"
C-923-8	UT0604	1/4"	3/8"	1/4"
C-923-7	UT0606	3/8"	3/8"	3/8"

Stem Elbow

MODEL No.	PART No.	Tube O.D	Stem O.D
C-921-13	SE0404	1/4"	1/4"
C-921-16	SE0406	1/4"	3/8"
C-910-4	SE0606	3/8"	3/8"

Side Stem Tee / Stem Run Tee

MODEL No.	PART No.	Tube O.D	Tube O.D	Stem O.D
C-921-8	SRT0404	1/4"	1/4"	1/4"
C-921-18	SRT0606	3/8"	3/8"	3/8"

Bulkhead Union

MODEL No.	PART No.	Tube O.D	Tube O.D
C-912-6	BU0404	1/4"	1/4"
C-921-17	BU0406	1/4"	3/8"
C-912-5	BU0606	3/8"	3/8"



Two Way Divider				
MODEL No.	PART No.	Tube In	Tube out	Tube out
C-920-3	TWD0404	1/4"	1/4"	1/4"
C-920-4	TWD0606	3/8"	3/8"	3/8"



CR-Cross		
MODEL No.	PART No.	Tube O.D
C-940	4CR4	1/4"
C-940-1	6CR6	3/8"



Stem Reducer			
MODEL No.	PART No.	Stem Thread	Tube O.D
C-923-10	SR0406	3/8"	1/4"
C-923-11	SR0604	1/4"	3/8"



CR-Cross				
MODEL No.	PART No.	O.D	Tube O.D	Tube O.D
C-291-7	CV-3344-EZ	1/4"	1/4"	1/4"
C-291-13	CV-6644-EZ	3/8"	3/8"	3/8"



Twin Connector			
MODEL No.	PART No.	Tube O.D	Tube O.D
C-941	4DC4	1/4"	1/4"



Check Valve / CV-3242-EZ			
MODEL No.	PART No.	NPTF Thread	Tube O.D
C-291-12	CV-3242-EZ	1/8"	1/4"



Locking Clip		
MODEL No.	PART No.	Tube O.D
C-901-6	LC0004	1/4"
C-901-7	LC0006	3/8"



Check Valve / CV-3142-EZ			
MODEL No.	PART No.	NPTF Thread	Tube O.D
C-291-8	CV-3042-EZ	1/8"	1/4"



Fitting Insert / Plug		
MODEL No.	PART No.	Description
C-939-5	PI-02-2	1/4"



Ball Valve / EZ Fittings			
MODEL No.	PART No.	UNF Thread	Tube O.D
C-226-11	CV-1144 with O-ring	1/4"	1/4"
Ball Valve 1/4" W / EZ Fittings			
C-226-14	CV-1164 with O-ring	1/4"	3/8"
Ball Valve 3/8" W / EZ Fittings			



Flow Restrictor			
MODEL No.	The name of product	Description	
C-222-8	FR-2225-Q-EZ	250 ML	1/4 OD
C-222-9	FR-2220-Q-EZ	200 ML	1/4 OD
C-222-10	FR-5030-Q-EZ	300 ML	1/4 OD
C-222-7	FR-5042-Q-EZ	420 ML	1/4 OD
C-222-11	FR-5055-Q-EZ	550 ML	1/4 OD
C-222-12	FR-2280-Q-EZ	800 ML	1/4 OD



EZ Ball VALVE CV1466-Q		
MODEL No.	NPTF Thread	Tube O.D
C-226-13	3/8"	3/8"



Ball Valve / EZ Fittings			
MODEL No.	PART No.	Tube In	Tube Out
C-226-10	CV-1344	1/4"	1/4"
C-226-15	CV-1364	3/8"	1/4"
C-226-16	CV-1366	3/8"	3/8"

EZ Ball VALVE CV1444-Q		
C-226-12	1/4"	1/4"

紫外線殺菌燈 UVC Lightings



Model : **1G** ULTRAVIOLET WATER STERILIZER

1G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140-4 (110V) A-140-2 (220V)	0.5Gpm / 2Lpm	1Gpm/4Lpm	50.5 x 260mm
Inlet/Outlet size	Max. Working pressure		Chamber/ housing
1/4inch NPT	125PSI		304 stainless steel



Model : **2G** ULTRAVIOLET WATER STERILIZER

2G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-140 (110V) A-140-6 (220V)	1.5Gpm / 6Lpm	2Gpm /8Lpm	64 x 340mm
Inlet/Outlet size	Max. Working pressure		Chamber/ housing
1/4inch NPT	125PSI		304 stainless steel



Model : **4G** ULTRAVIOLET WATER STERILIZER

4G UV


Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141-10 (110V) A-141-5 (220V)	4Gpm/16Lpm	5Gpm/20Lpm	64 x 512mm
Inlet/Outlet size	Max. Working pressure		Chamber/ housing
1/2inch NPT	125PSI		304 stainless steel



Model : **6G** ULTRAVIOLET WATER STERILIZER

6G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-141 (110V) A-141-1 (220V)	6Gpm /24Lpm	7Gpm /28Lpm	64 x 680mm
Inlet/Outlet size	Max. Working pressure		Chamber/ housing
1/2inch NPT	125PSI		304 stainless steel





Model : **12G** ULTRAVIOLET WATER STERILIZER

12G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-142 (110V) A-142-5 (220V)	12Gpm /48Lpm	14Gpm /56Lpm	83 x 900mm
Inlet/Outlet size	Max. Working pressure		Chamber/ housing
3/4inch NPT	125PSI		304 or 316 stainless steel



Model : **24G** ULTRAVIOLET WATER STERILIZER

24G UV

Specification Model No.	Flow rate (per minute)		Dimension
	Clean water	DI, R.O. Water	
A-191 (110V) A-191-1 (220V)	20Gpm /80Lpm	24Gpm / 96Lpm	100 x 900mm
Inlet/Outlet size	Max. Working pressure		Chamber/ housing
1inch NPT	125PSI		304 or 316 stainless steel



WATER-POSTING U.V. STERILIZER

AQUARIUM UV

- A-141-7** SUV-300 UV Water Sterilizer (14W)
Dimension:ø 1-1/4" x 38mm x 307 mm
- A-141-8** SUV-670 UV Water Sterilizer (32W)
Dimension:ø 1-1/4" x 38mm x 677 mm
- A-141-9** SUV-895 UV Water Sterilizer (39W)
Dimension:ø 1-1/4" x 38mm x 902 mm



THE BALLAST OF 1G/2G

- C-162-4** THE BALLAST OF 1G UV
220V/6W (2 TOP PINS)
- C-161-4** THE BALLAST OF 1G/2G UV
220V/14W (SINGLE TOP 4 PINS)




THE BALLAST OF 4G/6G/12G/24G

- C-166** THE UV BALLAST OF 4G/6G/12G/24G
(110V/220V)(24W~39W)(SINGLE TOP 4 PINS)

UV燈管&石英管

UV Lamp & Quartz Tube Sleeve



UV Lamp & Quartz Tube Sleeve Specification

Two Top Bin-Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-4	1G	UVC-S212T5	6W	50V	150mA	15.5mm	212mm

Single Top Four Pins Horizontal Quartz Germicidal Lamp

Model No.	UV LAMP	LAMP MODELS	WATT	VOLT	CUR	DIAMETER	LENGTH
C-255-5	1G	UVC-D212T5	14W	32V	400mA	15.5mm	212mm
C-255	2G	UVC-D287T5	14W	42V	425mA	15.5mm	287mm
C-255-10	4G	UVC-D450T5	24W	60V	425mA	15.5mm	450mm
C-256	6G	UVC-D645T5	32W	85V	425mA	15.5mm	645mm
C-257	12G / 24G	UVC-D842T5	39W	108V	425mA	15.5mm	842mm

Quartz Tube Sleeve

C-258-5	QTS-230238S	For 1G UV Lamp	23mm	238mm
C-258-1	QTS -230330	For 2G UV Lamp	23mm	330mm
C-258-6	QTS -230500	For 4G UV Lamp	23mm	500mm
C-258	QTS -230670	For 6G UV Lamp	23mm	670mm
C-259	QTS -230895	For 12G / 24G UV Lamp	23mm	895mm

Two Top Bin-Pins



Single Top Four Pins



Water Quality


Certificate



CERTIFICATE of WQA MEMBERSHIP
(2005-2015)




NSF CERTIFICATE



CE CERTIFICATE



PATENT CERTIFICATE



SGS CERTIFICATE



CERTIFICATE of "AQUA-WIN" MARK
REGISTERED in the U.S.A.



ISO 9001:2008
CERTIFICATE



THE BEST MANUFACTURER

Aqua-Win[®]
Pure Water System



AQUA-WIN WATER CORPORATION

No.668, Da Feng 2nd Road.
Kaohsiung, Taiwan 807, R.O.C.
TEL: +886-7-389-3888
FAX: +886-7-381-6865
E-mail: info@hibox.hinet.net
Web: www.aquawin.com.tw